

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Canceled)

2. (Canceled).

3. (Canceled)

4. (Canceled)

5. (Canceled)

6. (Canceled)

7. (Previously Presented) A method of collecting information on printer errors over a network, comprising:

    providing a printer incorporating a web server, said printer comprising an error detector for detecting errors in printing functions;

    attaching said printer to a network, such that said web server is linked to said network;

    providing at least one receiving computer in communication with said network, said at least one receiving computer including at least one online error database stored within a memory therein, said at least one online error database capable of receiving an error message generated by said printer and conveyed over said network;

    conveying a print job over said network to said printer;

    receiving said print job at said printer;

    examining said print job for transmittal errors with said error detector;

    detecting transmittal errors in said print jobs which contain transmittal errors;

generating a transmittal error message containing details of said transmittal errors;  
conveying said transmittal error message over said network with said web server  
automatically in response to detection of the transmittal error;  
receiving said transmittal error message into said at least one online error database by said  
receiving computer.

8. (Previously Presented) The method of claim 7, further comprising:  
processing said print job with said printer;  
detecting process errors where said processing results in said process errors;  
generating a process error message containing details of said process errors; and  
conveying said process error message over said network with said web server  
automatically in response to detection of the process error;  
receiving said process error message into said at least one online error database by said  
receiving computer.

9. (Previously Presented) The method of claim 7, further comprising:  
printing a document specified in said print job with said printer;  
detecting output errors where said printing results in said output errors;  
generating an output error message containing details of said output errors;  
conveying said output error message over said network with said web server automatically  
in response to detection of the output error; and  
receiving said output error message into said at least one online error database by said  
receiving computer.

10. (Original) The method of claim 7, further comprising attaching a workstation in  
communication with the printer, such that said print job originates on said work station and is  
conveyed to said printer.

11. (Original) The method of claim 10, where said print job is conveyed to said printer in PCL format.

12. (Original) The method of claim 8, where said processing includes converting said print job into RIP format and storing said print job in a job retention memory located in said printer.

13. (Original) The method of claim 9, where said printing includes controlling mechanical printing components of said printer to produce said document.

14. (Original) The method of claim 7, where said error message is generated in HTML format.

15. (Original) The method of claim 7, where said network comprises the internet.

16. (Canceled)

17. (Canceled)

18. (Canceled)

19. (Canceled)

20. (Canceled)

21. (Currently Amended) ~~The system of claim 1~~ A system for garnering information on printer errors, comprising:

a plurality of printers, each printer incorporating a web server linked to a network, each printer including an error detector for detecting errors in printing functions;

at least one receiving computer in communication with said network, said at least one receiving computer having a memory thereon; and

at least one online error database stored within the memory of said at least one receiving computer, said at least one online error database capable of receiving an error message generated by any of the plurality of printers and conveyed over said network, wherein the printer is configured to automatically generate and convey the error message over said network to the at least one online error database upon detection of an error.

22. (Canceled)

23. (Previously Presented) The method of claim 7, wherein the error message is selectively stored in one of a plurality of online error databases based upon at least one of a model type of the printer or a set of software programs being run by the printer.

24. (Previously Presented) The method of claim 7, wherein the error message is stored in a plurality of online databases.

25. (Cancelled)

26. (Currently Amended) ~~The method of claim 25~~ A method comprising:

detecting a first error at a first printer incorporating a first web server;

generating a first error message at the first printer;

conveying the first error message to a first online error database with the first web server over a network;

detecting a second error at a second printer incorporating a second web server;

generating a second error message at the second printer; and  
conveying the second error message to the first online error database with the second web server over a network, wherein the first error messages automatically conveyed to the online error database in response to detection of the first error.

27. (Currently Amended) ~~The method of claim 25 further comprising:~~ A method comprising:

detecting a first error at a first printer incorporating a first web server;  
generating a first error message at the first printer;  
conveying the first error message to a first online error database with the first web server over a network;  
detecting a second error at a second printer incorporating a second web server;  
generating a second error message at the second printer; and  
conveying the second error message to the first online error database with the second web server over a network;

for each of a first plurality of printers comprising a first model type or running a first set of software programs, the first plurality of printers including the first printer and the second printer, conveying generated error messages to the first online error database based on the first model type or the first set of software programs of each of the first plurality of printers; and

for each of a second plurality of printers having a second distinct model type or running a second distinct set of software programs, each printer of the second plurality of printers incorporating a web server:

detecting error messages;  
generating error messages; and  
conveying the generated error messages to a second online error database based on the second distinct model type or second set of software programs of each of the second plurality of printers.